


X-MET8000

GEO

HITACHI
Inspire the Next



MINING

The X-MET8000 Geo is a handheld X-ray fluorescence (XRF) analyser for geochemical analysis at various stages of the mining process. It's easy to use, and helps to dramatically reduce the need for laboratory analyses and their associated cost. With X-MET you can make the decisions immediately rather than waiting hours or even days for laboratory analysis.

Our revolutionary BOOST™ technology delivers the low limits of detection needed to measure critical elements (e.g. pathfinders or penalty elements) accurately.

The X-MET's integrated GPS enables you to combine geolocation data with analyses results for flawless site mapping. It also works with Trimble® receivers for more accurate location data.





Why the X-MET8000 Geo is the perfect tool for your business




MEET CURRENT AND FUTURE TESTING REQUIREMENTS

Measure up to 40 elements with our mining calibration; quantify rare earth elements (REEs) such as La, Ce, Pr and Nd, and test a variety of sample types e.g. rocks, cores, cuttings and powders.



LOW COST OF OWNERSHIP

Withstands the harshest environments and weather conditions, the X-MET is IP54 compliant (equivalent to NEMA 3) for protection against dust and splash water, and tested to the MIL-STD-810G military standard for ruggedness.



EASE OF USE

Intuitive user interface with large icons that can be used with gloves on. Its customisable 4.3" colour touchscreen provides excellent results visibility even in direct sunlight. Only minimal training is needed.



COMFORTABLE

Light weight (1.5 kg), great ergonomics and 10–12 hour battery life ensures uninterrupted workflow and minimum fatigue.



ADVANCED DATA MANAGEMENT

Download results and reports directly to a USB stick, PC or a network share using WiFi in CSV format or tamper-proof PDF.

You can share the results on-the-go with our ExTOPE Connect mobile app and our cloud service enables you to export results securely in real-time with photographs, notes and GPS coordinates. You can even manage results from a whole fleet of X-METs with a single account.

Adding value throughout the mining process



EXPLORATION AND MINE MAPPING

Screen a wide range of elements (Mg to U) fast. Detection limits down to ppm level and rapid analysis provided by the BOOST™ technology ensures that you can identify all critical elements on-site, facilitating decision-making.



ON-SITE EXCAVATION CONTROL

Save time and money: reduce the number of samples sent to the lab for selective mining and production planning. Identify the boundaries of ore reserves and minimise the need to excavate waste rock.



GRADE CONTROL

Monitor the concentrations of key elements in ore, and identify penalty elements accurately with little or no sample preparation.



PROCESS MONITORING

Take the X-MET from place to place to test stockpiles, feeds, concentrates, tailings, etc. and make process adjustment decisions quickly.



ENVIRONMENTAL MANAGEMENT

Test mine-waste rock and tailings for potential impact on the environment and waste management planning, and monitor hazardous elements down to ppm levels.

AN OPTION TO SUIT YOUR NEEDS

We offer two different models to provide you with a cost-effective solution.



| | X-MET8000 Optimum Geo | X-MET8000 Expert Geo |
|---|---|---|
| Description | Rapid and reliable measurement of various geochemical samples and concentrates. | Ultimate performance for measuring variety of geochemical samples including REEs, light elements and pathfinders. |
| X-ray tube | 45kV | 50 kV |
| X-ray tube filters | 6-position filter wheel | |
| Detector | 10mm ² SDD with BOOST ^(TM) technology | 25mm ² large area SDD with BOOST ^(TM) technology |
| Element range | Mg – U | |
| Rare Earth Elements (REEs) | No | Yes |
| IP54 and MIL-STD-810G | Yes | Yes |
| Weight (with battery) | 1.5 kg | 1.5 kg |
| Battery life | 10 – 12 hours | 10 – 12 hours |
| Protection against detector window damage | Shield window | Prolene window |
| Calibrations | Standardless with light elements. | Standardless with light elements and REEs. |
| Warranty 3 years as standard | Yes | Yes |

HARDWARE AND SOFTWARE OPTIONS

| FEATURE | X-MET8000 Optimum Geo | X-MET8000 Expert Geo |
|--|--------------------------|-------------------------|
| Bluetooth | Included | Included |
| WiFi | Included | Included |
| Integrated camera | Optional | Included |
| Small-spot collimator | Not available | Optional |
| Report generator | Included | Included |
| ExTOPE Connect cloud connectivity and mobile phone app | Yes | Yes |

Our Service

Our global network of service hubs offers a full range of technical support to keep you up and running.

Telephone help-desks

For a fast response to your problem.

Online diagnostics

In-depth support over the internet.

Rental instruments

To keep you working if your analyser is not.

Recertification and maintenance

Ensures your analyser produces the right result year after year.

Training

Understand your analyser and its features.

Extended warranties

Avoid unplanned costs.

Consumables and accessories

From spare batteries to benchtop stands.

Repairs

Fast and efficient turnaround.

WHAT NEXT?

Contact one of our experts today at contact@hitachi-hightech.com to arrange a demo.

MORE INFORMATION

To find out more about the X-MET8000 Expert Geo analyser, visit www.hitachi-hightech.com/hha

Other products

We have been providing industrial analysis products for over 45 years.

X-Supreme: benchtop XRF analyser for process and quality control.

Browse our full range of products online at www.hitachi-hightech.com/hha

Hitachi High-Tech Analytical Science

This publication is the copyright of Hitachi High-Tech Analytical Science and provides outline information only, which (unless agreed by the company in writing) may not be used, applied or reproduced for any purpose or form part of any order or contract or regarded as the representation relating to the products or services concerned. Hitachi High-Tech Analytical Science's policy is one of continued improvement. The company reserves the right to alter, without notice the specification, design or conditions of supply of any product or service.

Hitachi High-Tech Analytical Science acknowledges all trademarks and registrations.

© Hitachi High-Tech Analytical Science, 2020.
All rights reserved.

Part number: 10017301



348399 QM08

